

Catalog Number:	Lot Number:
Collection Date and Time:	Donor Number:

Donor Information

Age	Sex	Ethnicity	Weight	Height	Smoker	Blood Type	Anticoagulant
			kg	cm			
Additional Donor Information							

Donor Information is self-reported and privacy laws prohibit StemExpress from independently verifying the accuracy of this information. As such, StemExpress does not warrant the accuracy of the Donor Information. Product was obtained using our Institutional Review Board (IRB) approved consent forms and protocols. Please contact our Quality Assurance and Regulatory Affairs Department for approval documents and quality related inquiries.

Screenings

HIV			
HBV			
HCV			

*A "Negative" result indicates that donor viral testing was found to be negative within 90 days of collection.

*A "Pending" result indicates that donor viral testing was found to be negative more than 90 days of collection and another viral testing was done at the time of collection. If the result is "Positive", customers will be contacted as soon as possible (usually within 48-72 hours of the time of shipment).

Product Specifications Prior to Cryopreservation

Test Performed	Acceptable Range	Results	Volume
Total Nucleated Cells		x 10 ⁹	mL
Viability		%	

CBC Results Prior to Cryopreservation

Dilution Factor	
WBC	x10 ³ /μL
RBC	x10 ⁶ /μL
HGB	g/dL
HCT	%
MCHC	g/dL
PLT	x10 ³ /μL

Additional Attachments:

Yes No

Additional Analysis Information

Analyst

Date

Reviewer

Date

Terms and Conditions

Refer to the StemExpress website for Terms and Conditions. The Thawing Protocol can be located on the StemExpress website under Frequently Asked Questions at www.stemexpress.com/faq/ "How to thaw StemExpress primary cells for optimal viability?"