stemexpress 1743 Creekside Drive, Suite 200 Folsom, CA 95630

advancing science

1743 Creekside Drive, Suite 200 Folsom, CA 95630 530.626.7000 email: info@stemexpress.com www.stemexpress.com

Cryopreserved Product

Peripheral Blood Plasma, Thyroid Cancer Remission

Catalog#

PBPL005C-TCR

5 mL

PBPL010C-TCR

10 mL

Product Description

Human Peripheral Blood Plasma is collected from thyroid cancer remission patients in collection tubes containing EDTA.

Plasma was obtained using Institutional Review Board (IRB) approved consent forms and protocols.

Cryopreservation

Cryopreserved products allow for prolonged storage before use. All cryopreserved products are stored in containers designed and tested for ultra-low temperatures at long time intervals. We normally ship cryopreserved items on dry ice, but can also use a cryoshipper at the customer's request

Sample Collection and Processing

All samples are collected on-site at our Stem Cell Collection Center. Samples are quickly processed in our on-site laboratory to achieve maximum viability and quality. Cryopreserved plasma products are frozen at -20°C, and then transferred to a -80°C freezer.

Format

Plasma is frozen in its original collection bag or aliquoted to a sterile conical tube.

Storage

Cryopreserved plasma should be maintained at -80°C. Plasma is warrantied for twelve months from the date of receipt if stored at -80°C. Thawed samples must be used immediately.

Thawing Instructions for Cell Products

Thaw in a 37°C water bath or at 2 - 8°C overnight.

Warning

This product contains human tissue or other biological material and MUST be handled at Biosafety Level 2 or higher. All biological products should be treated as potentially infectious or contaminated material, even if infectious disease screening reports are negative. Follow universal precautions and wear appropriate personal protective equipment.

Product Warranty

For our product warranty, please review our Terms and Conditions at stemexpress.com/terms-and-conditions/.

FOR IN VITRO RESEARCH USE ONLY. NOT APPROVED FOR HUMAN OR VETERINARY USE IN VIVO.



PB-plasma_TCR_PIS-C RevB 0918 Page | 1