

Select Catalog

Catalog Number: Select One	Donor Number:	Lot Number:
Collection Date:	Collection Start Time:	Collection End Time:

Donor Information

Age	Sex	Ethnicity	Weight	Height	Smoker	Blood Type	Anticoagulant
	Select One	Select One	kg	cm	Select One	Select One	Select One

Additional Donor Information

Donor Information is self-reported and privacy laws prohibit CGT Global from independently verifying the accuracy of this information. As such, CGT Global does not warrant the accuracy of the Donor Information. Product was obtained using our Institutional Review Board (IRB) approved consent forms and protocols. Please contact our Quality Assurance and Regulatory Affairs Department for approval documents and quality related inquires.

Screenings

Date of Collection for Infectious Disease Testing:

HIV	Select One	HTLV 1 & 2	Select One
HBV	Select One	CMV IgG	Select One
HCV	Select One	CMV IgM	Select One
Syphilis	Select One	WNV	Select One
Zika	Select One	T. Cruzi	Select One

Product Specifications

Test Performed	Acceptable Range	Results	Volume
Total Nucleated Cells	N/A	x 10 ⁹	mL
Viability	N/A	%	

CBC Results from Leukopak

Dilution Factor	
WBC	x10 ³ /μL
RBC	x10 ⁶ /μL
HGB	g/dL
HCT	%
MCHC	g/dL
PLT	x10 ³ /μL

Additional Information

N/A

Analyst

Date

Reviewer

Date

QA Reviewer

Date

Terms and Conditions

Refer to the CGT Global website for Terms and Conditions. Clinical Grade Leukopaks are intended for further manufacturing for Allogenic use. Not intended for direct transfusion. See Summary of Records for detailed information regarding donor screening. The information provided is not for clinical use.